-	2	("6678703").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 13:36
-	1	(("6678703").PN.) and (scanner fax printer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 13:36
-	172009	(printer fax scan$4) near5 (forward$4 control$5 destination)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 21:07
-	15527	(printer fax scan$4) near5 (forward$4 destination)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 21:08
-	157648	send$4 near5 (data job$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 21:10
-	211	((printer fax scan$4) near5 (forward$4 destination)) with (send$4 near5 (data job$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 21:10
-	180	((printer fax scan$4) near5 (forward$4 destination)) near7 (send$4 near5 (data job$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 21:12
-	0	(((printer fax scan$4) near5 (forward$4 destination)) near7 (send$4 near5 (data job$1))) same (use near2 interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 21:11
-	0	(((printer fax scan$4) near5 (forward$4 destination)) near7 (send$4 near5 (data job$1))) and (use near2 interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 21:11
-	0	(((printer fax scan$4) near5 (forward$4 destination)) with (send$4 near5 (data job$1))) and (use near2 interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 21:11
-	62	(((printer fax scan$4) near5 (forward$4 destination)) with (send$4 near5 (data job$1))) same (email location document$1 file$1 package$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 21:21
-	127	(((printer fax scan$4) near5 (forward$4 destination)) near7 (send$4 near5 (data job$1))) not ((((printer fax scan$4) near5 (forward$4 destination)) with (send$4 near5 (data job$1))) same (email location document$1 file$1 package$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/30 21:22

C:\APPS\EAST\Workspaces\09944659.wsp